





- NOTES:
- 1. REMOVE EXISTING DUPLEX RECEPTACLE AND INSTALL IN ITS PLACE A GROUND FAULT CURRENT INTERRUPTING RECEPTACLE.
 - 2. DRYER RECEPTACLE NEMA L6-50R
 - 3. REMOVE EXISTING JUNCTION BOXES AND REPLACE WITH WALL MOUNTED JUNCTION BOX. CIRCUITS SHALL BE RECONNECTED AND MADE OPERATIONAL.
 - 4. REMOVE EXISTING JUNCTION BOX. REPLACE WITH JUNCTION BOX SUITABLE FOR FLUSH MOUNTING IN CONCRETE FLOOR. CIRCUITS SHALL BE RECONNECTED AND MADE OPERATIONAL.

POWER PLAN
SCALE: 1/8" = 1'-0"







**HAL MOE
POOL
ENCLOSURE**

**POWER
PLAN**

**THE
TSANG
PARTNERSHIP, INC.**

8-7-89

SEATTLE TACOMA
1221 SECOND AVENUE 745 MARKET STREET
SUITE 300 SUITE 300
SEATTLE, WA 98101 TACOMA, WA 98402
(206) 345-3044 (206) 273-9383
FAX (206) 684-6599 FAX (206) 383-8059

DATE: 8-7-89

REVISED:

E3
SHEET NO.